

Index

- abelian gauge symmetry, 18, 29
- Ademollo–Gatto theorem, 238, 239, 343
- Adler–Bardeen theorem, 228, 234
- anomalous dimension, 53
- anomaly, 22, 82, 83
 - $\pi^0 \rightarrow \gamma\gamma$, 83, 233, 235
 - and baryon spin structure, 354
 - axial anomaly, 83, 93, 102
 - Bardeen formula, 93, 232
 - baryon number, 104
 - in large N_c limit, 283
 - in weak decays, 222
 - trace anomaly, 96, 105, 349
 - Wess–Zumino–Witten action, 228
- anomaly cancellation, 59, 94, 105
- antisymmetric tensor $\epsilon^{\mu\nu\alpha\beta}$, 536
- approximate symmetry, 16
- asymmetry parameter, 467
 - forward–backward, 467
 - left–right, 467
- asymptotic freedom, 51
- atomic parity violation, 462
- axial $U(1)$ transformation, 79, 82, 92
- axial–vector coupling g_A , 334, 342, 355
- b* quark
 - $B \rightarrow K^*\gamma$, 431
 - $B^0 - \bar{B}^0$ mixing, 416
 - $B_s \rightarrow \ell^+\ell^-$, 432
 - bottomonium, 367
 - CP violation, 421
 - Heavy Quark Effective Theory, 413
 - inclusive decay, 403
 - lifetimes and branching ratios, 405
 - mass, 401
- B*-parameter
 - B* mesons, 416
 - kaons, 265
- background field method, 507, 524
- bag model, 303
 - bag constant, 303
 - gluons, 307
 - static cavity, 304
- baryon number violation, 103
- baryon–antibaryon asymmetry, 104, 195, 255
- baryons
 - effective lagrangian, 343, 534
 - large N_c limit, 283
 - matrix elements, 331, 334
 - quark model, 301, 383
 - spin structure, 330, 339, 352
 - state vectors, 293
 - strangeness content, 349
 - $SU(3)$ properties, 294, 331
- beta decay
 - hyperon, 359
 - neutrinoless double beta decay, 5, 192
 - nucleon, 355
- beta function
 - QCD , 51, 98, 246
 - QED , 39, 40
- beyond the Standard Model
 - effective lagrangians, 138, 491
 - Majorana mass, 176
 - rare decays, 139, 255
- bottomonium, 366
- box diagram
 - B* meson, 416
 - D* meson, 418
 - kaon, 263
- Breit–Fermi interaction
 - QCD , 381
 - QED , 144
- bremsstrahlung
 - muon decay, 159
 - soft photons, 154
- c* quark
 - $D^0 - \bar{D}^0$ mixing, 418
 - charmonium, 366, 375
 - D* decays, 404

568

c quark (cont.)
 mass, 401
 spectrum of charmed hadrons, 386
 Cabibbo angle, 69
 Cabibbo matrix, 68
 Cabibbo–Kobayashi–Maskawa matrix, 68, 69
 angle α , 425
 angle β , 424
 angle γ , 429
 measured values, 70
 unitarity, 264
 unitarity triangle, 420
 V_{us} , 239
 Wolfenstein parameterization, 69, 420, 425
 canonical field dimension, 30, 541
 Casimir invariant, 42
 center-of-mass
 correction in wavepacket method, 335
 in bag model, 306
 charge commutation rules, 532
 charge conjugation *C*, 7, 167
 charge quantization, 29, 59
 charge radius
 baryon, 331
 pion, 218, 295
 proton, 295, 332
 chiral loops, 121
 chiral perturbation theory, 200, 209
 general $\mathcal{O}(E^2)$ lagrangian, 201, 203
 general $\mathcal{O}(E^4)$ lagrangian, 211
 large N_c limit, 287
 low-energy constants, 211, 213, 219, 222, 289
 radiative transitions, 222
 renormalization, 211, 215, 524
 renormalization coefficients, 526
 underlying physics, 225
 chiral symmetry, 78, 127, 200
 chiral perturbation theory, 209
 explicit breaking, 201
 chirality, 6
 Coleman–Glashow relation, 384
 color, 28
 connected Green’s functions, 505
 conserved vector current hypothesis CVC, 356
 constituent gluon, 390
 conversion factors, 535
 correlator, 319
 Coulomb interaction, 145
 covariant derivative
 $SU(2)_L \times U(1)$, 60
 abelian, 18, 29
 chiral, 534
 definition, 18
 mixed case, 21
 nonabelian, 20, 41
CP violation, 73, 255, 266
 $B^0 - \bar{B}^0$ mixing, 421
 $K_L \rightarrow \pi\pi$, 266

Index

ϵ , 267, 268, 270
 ϵ' , 267, 268, 270, 271
B decay, 421, 433
 decays to *CP* eigenstates, 423
 leptons, 71
 neutrinos, 184
 non-*CP* eigenstates, 426
 nonleptonic hyperon decay, 365
 semileptonic decay, 268, 427
 without mixing, 428
CPT
CPT theorem, 8
 invariance, 268, 276
 creation operator, 292
 cross sections, 538
 current
 axial-vector, 6, 15, 165, 205, 336, 341, 365, 530
 charged weak, 63
 electromagnetic, 63
 isospin, 13
 neutral weak, 64, 458
 vector, 6, 15, 165, 166, 336, 341, 530
 current algebra, 258, 529
D mesons
 inclusive decays, 403
 lifetimes and branching ratios, 404
 Darwin potential, 146
 Dashen’s theorem, 204
 day-night asymmetry, 188
 decay constants
B meson F_B , 417
 pion F_π , 205, 530
 rho meson g_ρ , 166
 decay rates, 538
 decoupling theorem, 111, 119, 485
 deep-inelastic lepton scattering, 55, 353, 461
 dibaryon, 391, 396
 dilation current, 95
 dimensional regularization, 33, 121, 130, 159, 212
 Dirac algebra, 541
 integrals, 542
 solid angle, 543
 dimensional transmutation, 54
 Dirac algebra, 541
 Dirac form factor, 151
 Dirac matrices, 536
 Dirac spinor, 537
 discrete symmetries, 7, 78
 dispersion relations, 171, 320
 double-beta decay, 5, 192
 dual field strength \vec{F} , 83
 $F\vec{F}$, 100
 duality, 321
 effective field theory, 106
 baryons, 343
 chiral perturbation theory, 200
 effective lagrangian, 107

- energy expansion, 117, 121, 123
- general features, 119, 129
- Heavy Quark Effective Theory, 411
- heavy quark expansion, 405
- integrating out heavy fields, 111, 112, 115
- limits, 124
- matching, 114, 117, 242
- method of regions, 134
- Non-Relativistic QCD ($NRQCD$), 370
- power counting, 121, 122
- renormalization, 115, 122
- separation of scales, 124, 130
- effective lagrangian
 - baryon decays, 362
 - electroweak interaction, 492
 - external sources, 126, 127
 - general $\mathcal{O}(E^2)$ chiral lagrangian, 200
 - general $\mathcal{O}(E^4)$ chiral lagrangian, 211
 - neutral current, 459
 - New Physics, 138, 171, 491
 - QED , 136
 - symmetry breaking, 124
- electric dipole moment, 275, 276
- electron, 144
- electroweak interactions, *see*
 - Weinberg–Salam–Glashow model
- electroweak matrix element, 339
- energy-momentum tensor, 16, 95, 98, 349
- equal spacing rule, 383
- Euler–Heisenberg lagrangian, 137, 141
- exclusive decays of heavy quarks, 409
- exotics, 300
- external sources, 203
 - path integrals, 496
 - effective lagrangians, 126
 - generating functional, 80
- Fermi couplings (G_F , G_μ , G_β)
 - definitions, 65, 158, 208
- Feynman parameterization, 538
- Feynman rules
 - electroweak interactions, 476
 - QCD , 45
 - QED , 32
- field dimension, 541
- field strength
 - abelian, 19
 - nonabelian, 20, 40, 60
- Fierz transformation, 156, 537
- fine structure constant, 36
- form factor
 - baryon, 341
 - pion, 215
 - $\mathcal{F}t$ value, 357
- functional differentiation, 496, 503
- Furry's theorem, 136
- G -parity, 167, 342
- gamma function, 543
- gauge symmetry, 18, 74
- gauge-fixing, 45, 513
 - axial gauge, 514
 - covariant gauges, 514
 - electroweak, 475
 - Feynman gauge, 31, 159
 - Landau gauge, 31
 - 't Hooft-Feynman gauge, 477
 - unitary gauge, 477
- Gell-Mann matrices, 41
- Gell-Mann–Okubo relation, 204, 345, 383
- general relativity, 74
- generating functional, 80, 88, 497, 503
- generators of group, 20
- ghost fields, 45, 49, 475, 516
- global vs. local symmetry, 17
- gluons, 40
 - and bag model, 307
 - and spin structure of proton, 355
 - gluonia (glueballs), 281, 391, 394
 - large- N_c limit, 278
- Goldberger–Treiman relation, 347, 358
- Goldstone bosons, 24, 127
 - η' and the large N_c limit, 283
 - pions and kaons, 25, 200, 202
- Goldstone's theorem, 24
- Gordon decomposition, 537
- grand unification, 470
- Grassmann variables, 45, 90, 509
- Haag's theorem, 110, 530, 531
- hadronic molecule, 396
- heat kernel, 97, 230, 520
 - fermionic operator, 524
 - heat-kernel coefficients, 523
- Heavy Quark Effective Theory, 411
- heavy-quark expansion, 405
- heavy-quark limit, 385
 - $1/m$ corrections, 389
 - $1/m_B$ corrections, 407
 - exclusive decay, 409
 - rare B decay, 433
 - spectroscopy, 387
 - symmetry, 413, 415
 - weak decay, 405, 411
- heavy-quark mass, 399
 - $1S$ mass, 403
 - pole mass, 402
- helicity suppression, 205, 237
- Higgs boson, 61
 - couplings, 438, 439
 - custodial symmetry, 451
 - data vs. Standard Model, 447
 - discovery, 434
 - effective lagrangian, 439, 441
 - electroweak corrections, 448
 - mass value, 436
 - non-Standard Model couplings, 448
 - spin/parity, 434

570

Higgs boson (cont.)
 two Higgs doublets, 455
 two-doublet potential energy, 455
 vacuum energy, 438
 vacuum stability, 453
 Higgs boson decays
 fermion–antifermion pairs, 443
 four-body states, 444
 massless states, 444
 three-body states, 443
 Higgs boson production, 446
 gluon–gluon fusion, 446
 Higgs mechanism, 28, 62, 434
 hybrid, 391, 396
 hyperfine interaction
QCD, 302, 382, 386
QED, 146, 384
 Inami–Lim functions
 kaon mixing, 264
 inclusive decays, 403
 infrared problem, 153
 interpolating field, 297, 394
 inverse amplitude method, 393
 isospin symmetry, 13, 23, 25, 77, 200
 jacobian, 89, 229
 axial anomaly, 92
 trace anomaly, 96
 Wess–Zumino–Witten action, 229
 jets, 374, 402
 K^0 -to- \bar{K}^0 matrix element, 265
 B_K , 265
 \bar{B}_K scale and scheme independent, 265
 kaon mixing
 short distance component, 265
 kaons
 K_L , K_S , 262
CP violation, 266, 269
 leptonic decay, 237
 mass, 203
 mass matrix, 260
 mixing, 260
 nonleptonic decay, 249
 rare decays, 255
 semileptonic decay, 238
 Kobayashi–Maskawa matrix, 68, 535
 V_{ud} , 355
 V_{us} , 360
 Lamb shift, 153
 large N_c limit, 278
 η' as Goldstone boson, 283
 chiral lagrangian, 287
 double line notation, 279
 sigma meson, 393
 Skyrme model, 308, 318
 spectroscopy, 280
 strong *CP* problem, 289

Index

lattice-gauge theory, 371, 395
 leading log summation
 kaon decay, 247
 Lee–Sugawara relation, 362
 leptogenesis, 105, 195
 lepton, 144
 lepton number, 3, 5, 139
 violation, 11, 103, 192
 lepton universality, 164, 237
 test of in Z^0 decays, 467
 Lie algebra, 19
 LSZ reduction formula, 530
 magnetic moment, 339, 340
 baryons, 339
 electron, 151
 Majorana neutrinos
 dimension-5 operator, 175
 fields, 11, 175
 leptogenesis, 195
 mass, 9, 177, 192
 phases, 71, 178
 mass
 $\overline{\text{MS}}$ mass, 401
 b quark, 401
 c quark, 401
 constituent, 298, 341, 382
 diagonalization, 44, 66, 176, 274
 dimension-5 operator, 175
 Dirac, 9, 173
 gauge boson, 1, 62, 65
 heavy quark, 367, 398, 399
 Higgs boson, 436
 Majorana, 9, 173, 192
 neutrino, 177
 neutrino mass differences, 4
 nonstrange quark, 346
 pole mass, 402
 quark, 3, 201, 202, 205, 344
 quark mass ratio, 203, 375, 384
 running, 399
 strange quark, 346
 massless limit, 5, 103, 201, 205
 Meissner effect, 26, 303
 mesonic molecule, 391
 mesons
 $\eta(549)$, 204
 $\eta'(960)$, 283, 382
 $\rho(770)$, 165, 219, 224, 226
 $a_1(1260)$, 227
 large N_c limit, 282, 285
 quark model, 300
 state vector, 293
SU(3) assignments, 293
 method of regions, 131
 metric tensor (Minkowskian), 535
 Michel parameter, 164
 Mikheyev–Smirnov–Wolfenstein (MSW) effect, 181
 mixing

- $B^0 - \bar{B}^0$, 416
- $D^0 - \bar{D}^0$, 418
- $K^0 - \bar{K}^0$, 260
- $\pi^0 - \eta$, 375
- neutrino, 70
- quark, 66, 68
- muon, 155
 - decay
 - QED* radiative correction, 159
 - tree-level, 156
 - muon capture, 357
- natural parity, 300
- naturalness, 436
- NDR (naive dimensional regularization), 541
- neutrino oscillation
 - accelerator-based, 190
 - adiabaticity, 184, 188
 - atmospheric neutrinos, 190
 - CP* violation, 184
 - in matter (MSW effect), 181
 - phenomenology, 185
 - reactor neutrinos, 189
 - solar neutrino spectrum, 186
 - two-flavor approximation, 180
 - vacuum, 179
- neutrinos
 - Majorana phases, 71
 - mass, 173
 - mass differences, 4
 - mass eigenstates, 174
 - mixing, 70, 176
 - number of generations, 197
 - oscillation, 5, 179
- Noether current, 12, 83, 129, 352
- Noether's theorem, 12, 81, 352, 365
- nonabelian gauge symmetry, 19, 40
- nonleptonic interaction
 - B , D decays, 410
 - $\Delta I = 1/2$ rule, 247, 249, 250, 361
 - chiral lagrangian, 362
 - effective lagrangian, 241, 252
 - hamiltonian, 240, 242, 248
 - hyperon decay, 360
 - kaons, 240
 - lattice matrix element, 255
- nonrelativistic limit, 129, 145, 370, 389, 410
- nonrelativistic *QCD* (*NRQCD*), 370
- nuclear weak processes, 355
- nuclei
 - beta decay, 355
 - muon capture, 357
- Okubo–Zweig–Iizuka (OZI) rule, 285
- operator-product expansion (OPE), 242, 321, 405
- parity P , 7
- path integrals
 - effective field theory, 115
 - external sources, 496
- fermions, 509
- field theory, 502
- functional differentiation, 496, 503
- gauge fields, 512
- generating functional, 497, 503
- harmonic oscillator, 499
- perturbation theory, 498
- propagator, 493
- quadratic forms, 506, 511
- wavefunctions, 495
- Pauli form factor, 151
- Pauli matrices, 536
- PCAC, 529
 - applications, 258, 347, 357
 - charge commutation rules, 532
 - soft-pion theorem, 531
- penguin diagram, 247, 269, 270, 425, 432
 - chiral evaluation, 271
- perturbative vacuum, 303
- physical constants, 535
- pions
 - $\pi \rightarrow e\nu, \mu\nu$, 205
 - as Goldstone bosons, 25, 200
 - decay constant F_π , 205, 530
 - form factor, 215, 226, 236
 - mass, 201
 - pion–nucleon interactions, 347, 348
 - radiative transitions, 219
 - scattering, 392
- planar diagram, 279
- PMNS mixing matrix, 71, 178
 - measured values, 71, 190
 - neutrinoless double beta decay, 194
- Poincaré algebra, 26
- polarizability, 220
- polarized Møller scattering, 463
- pole mass, 402
- potential model, 298, 368
- propagators, 538
- pseudoscalar axial form factor, 357
- QCD* sum rules, 318, 328
 - Borel transformation, 323
 - correlator, 319
 - dispersion relation, 319
 - effective continuum threshold, 326
 - examples, 324
 - moments, 323, 325
 - operator product expansion, 321
 - perturbative contributions, 325
 - QCD* continuum approximation, 321
 - vacuum condensates, 322
- quadratic forms, 506, 511
- Quantum Chromodynamics
 - α_s , 55, 169
 - θ -term, 44
 - Feynman rules, 45
 - lagrangian, 40
 - Ward identities, 47

572

Quantum Electrodynamics, 28
 Feynman rules, 32
 gauge symmetry, 29
 lagrangian, 28
 on-shell renormalization, 35
 precision tests, 151
 running coupling constant, 37
 Ward identity, 36

quark
 constituent, 298, 336
 flavor, 3
 heavy-quark mass, 399
 mass estimates, 3, 346
 mass ratios, 203, 375, 384

quark mixing, 68

quark model, 327
 bag model, 303
 matrix elements, 334
 potential model, 299
 relativistic wavefunction, 296
 spatial wavefunctions, 295, 332
 spin wavefunctions, 291, 330, 353

quark potential, 398

quarkonium, 366
 annihilation decays, 372
 hadronic transitions, 375
 radiative corrections, 373
 spectroscopy, 367

radiative corrections
 beta decays, 208, 356
 electroweak, 474, 483
 $\Delta\rho$, $\Delta\kappa$, Δr_w , 484
 heavy-quark decay, 373
 muon decay, 159
 pion decay, 206, 208, 235

rare decay
B mesons, 430
 kaons, 255
 pions, 219

reactor neutrino oscillations, 189

Regge trajectory, 379

Regge-pole, 380

renormalizability, 30

renormalization, 39
 minimal subtraction, 35, 36
 modified minimal subtraction, 35, 36
 on-shell, 35, 36, 148, 478

renormalization constants
 chiral perturbation theory, 212, 215, 219
QCD, 47, 50
QED, 32, 36

renormalization group, 52, 245, 249

renormalization point, 39

rephasing
 invariants, 72, 269, 420
 of fields, 68, 267

Index

representation independence, 109

rho-parameter, 139, 456, 460

running coupling constant
QCD, 53, 169
QED, 37, 39, 487

scale invariance, 15, 17, 79

scattering length, 223

second-class currents, 167

seesaw mechanism, 175

self-energy
 fermion, 74, 160
 photon, 32
W and *Z*, 479

semileptonic decay
 heavy-quark, 410
 heavy-quark effective theory, 413
 hyperon, 359
 kaon, 238, 258
 tau, 163

sigma meson, 391

sigma model
 explicit symmetry breaking, 124
 exponential representation, 108, 110
 linear, 14
 anomaly, 228
 effective lagrangian, 107, 114, 226, 533
 explicit breaking, 17
 matching, 114
 renormalization, 116
 spontaneous symmetry breaking, 24

linear representation, 107, 109

nonlinear, 108

square-root representation, 108, 110

symmetry breaking, 24

sigma term, 98, 344, 348

Sine–Gordon model, 309

Skyrme model, 308, 336
 lagrangian, 310
 nucleon mass, 328
 quantization, 314
 skyrmion, 312

soft-pion theorem, 26, 272, 530

solar neutrinos
pp chain, 186

soliton, 309, 310

spectator model, 403

spectral functions, 168
 measured in tau decay, 168
 $V - A$, 272

spectroscopic notation, 300, 367

spin matrix element, 330

spin structure of nucleon, 352

spin–orbit interaction
QED, 145

spontaneous symmetry breaking
 $SU(2)_L \times U(1)$, 62
 sigma model, 25

static quark, 387

- strangeness content of the nucleon, 349
 string tension, 368
 strong CP violation, 44, 103, 273, 289
 and $\bar{\theta}$, 274
 $SU(2)$
 $SU(2)_L$, 57
 chiral coefficients, 213
 chiral $SU(2)$, 213
 conjugate representation, 61
 isospin, 13
 $SU(2)_L \times U(1)$, *see* Weinberg–Salam–Glashow model
 $SU(3)$, 41, 74
 f_{abc} , d_{abc} coefficients, 42
 chiral $SU(3)$, 127, 202, 213
 flavor $SU(3)$, 77, 292
 fundamental representation, 41
 regular (adjoint) representation, 43
 $SU(6)$ classification scheme, 376
 supermultiplet, 376
 supersymmetry
 grand unified theories, 470
 superweak model, 277
 Sutherland–Veltman theorem, 234
 symmetry
 classification of, 22, 76
 dynamical breaking, 22, 200, 202, 533
 spontaneous breaking, 22–24, 62, 76
 t quark
 electroweak radiative corrections, 484
 mass, 403
 toponium, 408
 weak decay, 408
 tau lepton, 163
 tensor interaction
 QED , 146
 tetraquark, 396
 theta-term (θ -term), 44, 101, 273, 275
 theta-vacuum, 99, 101, 102
 time reversal T , 7
 trace anomaly, 95, 105, 349
 trace relations, 536
 transverse gauge, 372
 U -spin, 204, 384
 Uehling potential, 148, 153
 unitarity, 218, 236, 392, 410, 540
 unitarity triangle, 420
 angle α , 420, 425
 angle β , 420, 424
 angle γ , 420, 429
 unnatural parity, 300
 vacuum polarization, 33, 34, 47, 137, 171
 gauge boson, 480, 483
 vacuum saturation, 254
 van Vleck determinant, 517
 vector dominance, 227
 vertex correction, 148
 $Z \rightarrow b\bar{b}$, 488
 QCD , 49
 QED , 148
 W bosons
 decays to fermions, 471
 mass, 1, 65
 self-energies, 480
 Ward identities, 36, 47, 84, 87, 233
 Watson's theorem, 266, 540
 Watson–Sommerfeld transformation, 379
 wavepacket method, 306, 334, 335
 weak hypercharge, 28, 57, 59, 60
 weak isospin, 28, 57, 61
 weak mixing angle (Weinberg angle), 63
 definitions, 469
 effective mixing angle, 465, 468
 on-shell, 479
 running, 458
 Weinberg power counting theorem, 122
 Weinberg–Salam–Glashow model, 57
 Feynman rules, 476
 lagrangian, 60
 neutral current phenomenology, 458
 quark mixing, 66
 radiative corrections, 159, 478
 symmetry breaking, 62
 weak mixing angle, 63
 Wess–Zumino–Witten anomaly action, 228, 232
 Wilson coefficient, 130, 134, 242, 249
 kaon mixing, 263
 scale and scheme dependence, 264
 winding number, 99
 Wu–Yang convention, 268
 Yang–Mills theory, 19
 Yukawa coupling, 61
 Z boson, 63
 decays into fermions, 466
 mass, 1, 63
 neutral current interaction, 460
 self-energy, 482
 testing lepton universality, 467
 vertex correction, 488
 W^3 – B mixing, 63
 zero-point energy, 97
 zeta-function regularization, 521